

TANEY COUNTY PLANNING WATER QUALITY LAB
 WATER QUALITY DATA
 UPPER BULL CREEK-TANEY COUNTY
 STREAM SAMPLES-January 2014

	Bull Creek	Time am/pm	Water Temp F	Conductivity MS/CM	Dissolved Solids g/l	Dissolved Oxygen mg/l	Nitrites (RNG) mg/l	Nitrates (RNG) mg/l	ph	Hardness gpg	Hardness mg/l	Fecal Coliform 100ml	PO mg/l	Total (P)mg/l
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
1	14-Jan	9:51am	41.9°	0.345	0.224	11.9	<.15	1	8.3	10	171	<1	0.09	0.03
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
2	14-Jan	9:41am	41.7°	0.346	0.225	12.2	<.15	1	8.1	10	171	<1	0.12	0.04
Sample Site: Above Treatment Plant Located at Goodnight Road Taney County														
3	14-Jan	9:20am	41.1°	0.351	0.228	11.9	<.15	1	8.2	10	171	<1	0.15	0.05
Sample Site: Bull Creek Village in Taney County														
4	30-Jan	9:20am	32.5°	0.38	0.247	11.8	<.15	<1.0	7.7	10	171	<1	0.03	0.01

COMMENTS:

TANEY COUNTY PLANNING WATER QUALITY LAB
 WATER QUALITY DATA
 UPPER BULL CREEK-TANEY COUNTY
 STREAM SAMPLES-February 2014

	Bull Creek	Time am/pm	Water Temp F	Conductivity MS/CM	Dissolved Solids g/l	Dissolved Oxygen mg/l	Nitrites (RNG) mg/l	Nitrates (RNG) mg/l	ph	Hardness gpg	Hardness mg/l	Fecal Coliform 100ml	PO mg/l	Total (P)mg/l
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
1	03-Feb	1:42pm	39.3°	0.347	0.225	10.9	<.15	<1.0	8.1	10	171	1	0.09	0.03
Sample Site: Below Treatment Plant Located at Saddlebrook in Christian County														
2	03-Feb	1:31pm	39.3°	0.349	0.227	11.3	<.15	<1.0	8	10	171	<1	0.03	0.01
Sample Site: Crossing at Goodnight Road Taney County														
3	03-Feb	1:11pm	38.3°	0.358	0.232	11	<.15	<1.0	7.9	10	171	<1	0.03	0.01
Sample Site: Bull Creek Village in Taney County														
4	24-Feb	9:07am	41.8°	0.369	0.24	12	<.15	<1.0	8.1	12	205.2	21	0.03	0.01

COMMENTS: snow melt occuring from 4" snow storm

TANEY COUNTY PLANNING WATER QUALITY LAB
 WATER QUALITY DATA
 UPPER BULL CREEK-TANEY COUNTY
 STREAM SAMPLES-March 2014

	Bull Creek	Time am/pm	Water Temp F	Conductivity MS/CM	Dissolved Solids g/l	Dissolved Oxygen mg/l	Nitrites (RNG) mg/l	Nitrates (RNG) mg/l	ph	Hardness gpg	Hardness mg/l	Fecal Coliform 100ml	PO mg/l	Total (P)mg/l
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
1	11-Mar	10:28	43.2°	0.357	0.232	10.5	<.15	<1.0	8.4	10	171	8	0.03	0.01
Sample Site: Below Treatment Plant Located at Saddlebrook in Christian County														
2	11-Mar	10:18	43.5°	0.358	0.233	10.8	<.15	<1.0	8.3	10	171	4	0.03	0.01
Sample Site: Crossing at Goodnight Road Taney County														
3	11-Mar	09:48	43.3°	0.366	0.238	11.1	<.15	<1.0	8.2	10	171	3	0.03	0.01
Sample Site: Bull Creek Village in Taney County														
4	20-Mar	10:22	43.9°	0.363	0.236	11.2	<.15	<1.0	8.4	10	171	15	0.06	0.02

COMMENTS:

TANEY COUNTY PLANNING WATER QUALITY LAB
 WATER QUALITY DATA
 UPPER BULL CREEK-TANEY COUNTY
 STREAM SAMPLES-April 2014

	Bull Creek	Time am/pm	Water Temp F	Conductivity MS/CM	Dissolved Solids g/l	Dissolved Oxygen mg/l	Nitrites (RNG) mg/l	Nitrates (RNG) mg/l	ph	Hardness gpg	Hardness mg/l	Fecal Coliform 100ml	PO mg/l	Total (P)mg/l
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
1	01-Apr	09:55	47.7	0.344	0.224	11.9	<.15	<1.0	8	10	171	6	0.03	0.01
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
2	01-Apr	09:43	47.6°	0.347	0.225	12.5	<.15	<1.0	8.3	10	171	4	0.06	0.02
Sample Site: Crossing at Goodnight Road Taney County														
3	01-Apr	09:18	47.8°	0.355	0.23	11.4	<.15	<1.0	8.1	10	171	3	0.09	0.03
Sample Site: Bull Creek Village in Taney County														
4	23-Apr	09:05	57.9°	0.38	0.247	10.9	<.15	<1.0	8.3	10	171	aprox. 64	0.06	0.02

COMMENTS:

TANEY COUNTY PLANNING WATER QUALITY LAB
 WATER QUALITY DATA
 UPPER BULL CREEK-TANEY COUNTY
 STREAM SAMPLES-May 2014

	Bull Creek	Time am/pm	Water Temp F	Conductivity MS/CM	Dissolved Solids g/l	Dissolved Oxygen mg/l	Nitrites (RNG) mg/l	Nitrates (RNG) mg/l	ph	Hardness gpg	Hardness mg/l	Fecal Coliform 100ml	PO mg/l	Total (P)mg/l
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
1	06-May	08:34	57.6°	0.369	0.24	8.4	<.15	<1.0	8.4	10	171	5	0.09	0.03
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
2	06-May	08:25	57.5°	0.371	0.241	8.7	<.15	<1.0	8.4	10	171	14	0.12	0.04
Sample Site: Above Treatment Plant Located at Goodnight Road Taney County														
3	06-May	08:05	59.0°	0.376	0.245	8.1	<.15	<1.0	8.3	11	188.1	6	0.12	0.04
Sample Site: Bull Creek Village in Taney County														
4	20-May	09:28	65.7°	0.398	0.259	9.2	<.15	<1.0	8.4	12	205.2	19	0.12	0.04

COMMENTS:

TANEY COUNTY PLANNING WATER QUALITY LAB
 WATER QUALITY DATA
 UPPER BULL CREEK-TANEY COUNTY
 STREAM SAMPLES-June 2014

	Bull Creek	Time am/pm	Water Temp F	Conductivity MS/CM	Dissolved Solids g/l	Dissolved Oxygen mg/l	Nitrites (RNG) mg/l	Nitrates (RNG) mg/l	ph	Hardness gpg	Hardness mg/l	Fecal Coliform 100ml	PO mg/l	Total (P)mg/l
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
1	02-Jun	10:12	63.6°	0.384	0.249	7.9	<.15	<1.0	8.4	10	171	35	0.06	0.02
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
2	02-Jun	09:53	63.3°	0.386	0.251	8.3	<.15	<1.0	8.4	10	171	26	0.06	0.02
Sample Site: Above Treatment Plant Located at Goodnight Road Taney County														
3	02-Jun	09:35	64.6°	0.377	0.258	7.2	<.15	<1.0	8.4	10	171	28	0.09	0.03
Sample Site: Bull Creek Village in Taney County														
4	6/25/2014 strong flow	09:26	74.8°	0.353	0.229	7.2	<.15	<1.0	8.4	14	239.4	51	0.15	0.05

COMMENTS:

TANEY COUNTY PLANNING WATER QUALITY LAB
 WATER QUALITY DATA
 UPPER BULL CREEK-TANEY COUNTY
 STREAM SAMPLES- July 2014

	Bull Creek	Time am/pm	Water Temp F	Conductivity MS/CM	Dissolved Solids g/l	Dissolved Oxygen mg/l	Nitrites (RNG) mg/l	Nitrates (RNG) mg/l	ph	Hardness gpg	Hardness mg/l	Fecal Coliform 100ml	PO mg/l	Total (P)mg/l
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
1	30-Jun	09:40	69.8°	0.384	0.249	7.1	<.15	<1.0	8.4	12	205.2	25	0.12	0.04
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
2	30-Jun	09:25	69.2°	0.403	0.262	7.7	<.15	<1.0	8.4	12	205.2	12	0.09	0.03
Sample Site: Above Treatment Plant Located at Goodnight Road Taney County														
3	30-Jun	09:02	71.2°	0.405	0.263	7	<.15	<1.0	8.3	12	205.2	18	0.15	0.05
Sample Site: Bull Creek Village in Taney County														
4	22-Jul	09:15	75.2°	0.369	0.24	8.3	<.15	<1.0	8.4	12	205.2	54	0.03	0.01

COMMENTS:

TANEY COUNTY PLANNING WATER QUALITY LAB
 WATER QUALITY DATA
 UPPER BULL CREEK-TANEY COUNTY
 STREAM SAMPLES- August 2014

	Bull Creek	Time am/pm	Water Temp F	Conductivity MS/CM	Dissolved Solids g/l	Dissolved Oxygen mg/l	Nitrites (RNG) mg/l	Nitrates (RNG) mg/l	ph	Hardness gpg	Hardness mg/l	Fecal Coliform 100ml	PO mg/l	Total (P)mg/l
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
1	05-Aug	08:38	72.2°	0.41	0.267	7.3	<.15	<1.0	8.2	14	239.4	9	0.03	0.01
t Plant Located at Saddlebrook in Christian County														
2	05-Aug	08:26	70.0°	0.41	0.267	7.2	<.15	<1.0	8.2	14	239.4	10	0.03	0.01
sing at Goodnight Road Taney County														
3	05-Aug	08:07	69.9°	0.413	0.268	7	<.15	<1.0	8	14	239.4	15	0.03	0.01
Sample Site: Bull Creek Village in Taney County														
4	8/25/2014 low flow	09:05	76.7°	0.369	0.24	8.9	<.15	<1.0	8	12	205.2	tntc apr. 150	0.03	0.01

COMMENTS:

TANEY COUNTY PLANNING WATER QUALITY LAB
 WATER QUALITY DATA
 UPPER BULL CREEK-TANEY COUNTY
 STREAM SAMPLES- September 2014

	Bull Creek	Time am/pm	Water Temp F	Conductivity MS/CM	Dissolved Solids g/l	Dissolved Oxygen mg/l	Nitrites (RNG) mg/l	Nitrates (RNG) mg/l	ph	Hardness gpg	Hardness mg/l	Fecal Coliform 100ml	PO mg/l	Total (P)mg/l
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
1	02-Sep	09:05	74.2°	0.399	0.26	7	<.15	<1.0	7.7	12	205.2	40	0.03	0.01
Sample Site: Below Treatment Plant Located at Saddlebrook in Christian County														
2	02-Sep	08:55	71.9°	0.38	0.247	7.6	<.15	<1.0	7.7	12	205.2	aprox. 69	0.06	0.02
Sample Site: Crossing at Goodnight Road Taney County														
3	02-Sep	08:29	71.5°	0.419	0.272	7.9	<.15	<1.0	7.5	12	205.2	aprox. 78	0.09	0.03
Sample Site: Bull Creek Village in Taney County														
4	24-Sep	09:21	62	0.375	0.244	7.9	<.15	<1.0	8.2	10	171	tntc apr. 90	0.03	0.01

COMMENTS:

TANEY COUNTY PLANNING WATER QUALITY LAB
 WATER QUALITY DATA
 UPPER BULL CREEK-TANEY COUNTY
 STREAM SAMPLES- October 2014

	Bull Creek	Time am/pm	Water Temp F	Conductivity MS/CM	Dissolved Solids g/l	Dissolved Oxygen mg/l	Nitrites (RNG) mg/l	Nitrates (RNG) mg/l	ph	Hardness gpg	Hardness mg/l	Fecal Coliform 100ml	PO mg/l	Total (P)mg/l
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
1	01-Oct	09:37	66.0°	0.437	0.284	7.4	<.15	<1.0	7.9	14	239.4	tntc apr. 65	0.03	0.01
Sample Site: Below Treatment Plant Located at Saddlebrook in Christian County														
2	01-Oct	09:25	65.7°	0.433	0.281	8.7	<.15	<1.0	7.8	14	239.4	10	0.03	0.01
Sample Site: Crossing at Goodnight Road Taney County														
3	01-Oct	09:04	67.6°	0.424	0.275	7.1	<.15	<1.0	7.7	14	239.4	27	0.09	0.03
Sample Site: Bull Creek Village in Taney County														
4	28-Oct	09:38	62.5°	0.403	0.262	10.8	<.15	<1.0	8.1	11	188.1	60	0.09	0.03

COMMENTS:

TANEY COUNTY PLANNING WATER QUALITY LAB
 WATER QUALITY DATA
 UPPER BULL CREEK-TANEY COUNTY
 STREAM SAMPLES- November 2014

	Bull Creek	Time am/pm	Water Temp F	Conductivity MS/CM	Dissolved Solids g/l	Dissolved Oxygen mg/l	Nitrites (RNG) mg/l	Nitrates (RNG) mg/l	ph	Hardness gpg	Hardness mg/l	Fecal Coliform 100ml	PO mg/l	Total (P)mg/l
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
1	03-Nov	09:29	53.9°	0.403	0.262	9.8	<.15	<1.0	7.9	12	205.2	14	0.03	0.01
Sample Site: Below Treatment Plant Located at Saddlebrook in Christian County														
2	03-Nov	09:19	54.6°	0.405	0.263	9.9	<.15	<1.0	7.8	12	205.2	20	0.03	0.01
Sample Site: Crossing at Goodnight Road Taney County														
3	03-Nov	09:00	54.7°	0.409	0.266	9.3	<.15	<1.0	7.2	12	205.2	57	0.03	0.01
Sample Site: Bull Creek Village in Taney County														
4	19-Nov	09:08	38.1°	0.403	0.262	10.1	<.15	<1.0	8	12	205.2	4	0.03	0.01

COMMENTS:

TANEY COUNTY PLANNING WATER QUALITY LAB
 WATER QUALITY DATA
 UPPER BULL CREEK-TANEY COUNTY
 STREAM SAMPLES- December 2014

	Bull Creek	Time am/pm	Water Temp F	Conductivity MS/CM	Dissolved Solids g/l	Dissolved Oxygen mg/l	Nitrites (RNG) mg/l	Nitrates (RNG) mg/l	ph	Hardness gpg	Hardness mg/l	Fecal Coliform 100ml	PO mg/l	Total (P)mg/l
Sample Site: Above Treatment Plant Located at Saddlebrook in Christian County														
1	02-Dec	09:32	45.9°	0.391	0.254	12.2	<.15	<1.0	8	12	205.2	1	0.06	0.02
Sample Site: Below Treatment Plant Located at Saddlebrook in Christian County														
2	02-Dec	09:22	45.8°	0.392	0.255	11.1	<.15	<1.0	7.9	12	205.2	6	0.06	0.02
Sample Site: Crossing at Goodnight Road Taney County														
3	02-Dec	09:02	46.3°	0.398	0.259	10.7	<.15	<1.0	7.1	12	205.2	2	0.06	0.02
Sample Site: Bull Creek Village in Taney County														
4	15-Dec	08:46	50.3°	0.402	0.261	11.2	<.15	<1.0	8	12	205.2	19	0.03	0.01

COMMENTS: