

TANEY COUNTY MISSOURI

Purchasing Department 132 David Street / P. O. Box 1630 Forsyth, Missouri 65653

SOLICITATION TITLE: Double Drum Roller. RFB #201801-393

SOLICITATION TYPE:

•	
(🗸) = Full / Formal Bid for Products or Materials ONLY.
() = Full / Formal Bid for Products and Services.
() = Full / Formal Bid for Services ONLY.
() = Full / Formal Request for Proposals.
() = Full / Formal Request for Qualifications.

SCHEDULE & DEADLINES:

Jan. 13, 2018 – Feb. 13, 2018 Bid Release Date / Advertising Period

Feb. 5, 2018 at 2:00 P.M. Deadline for Submitting Questions.

Feb. 13, 2018 at 5:00 P.M. Closing Date / Time.

<u>Feb. 14, 2018 at 9:30 A.M.</u> <u>Opening Date / Time.</u>

Responding Vendor / Company Name	City / State
TOTAL BID REQUEST RESPONSE PRICE; _	

SECTION #	TABLE OF CONTENTS	Page #
	Cover Sheet: Solicitation Title & Type, Deadlines, Bid Price, and Table of Contents.	Page 1
	Commodity Title, Submission Locations, and Vendor Information Form.	Page 2
	Introduction & Basic Processing Information.	Pages 2-3
1	Instructions and General Conditions.	Pages 3-5
2	Scope of Services.	Page 6
3	Specifications / Bid Price.	Pages 6-8
4	Standard Terms and Conditions.	Page 8
5	No Bid Response Form.	Page 9
6	Final Mandatory Compliance Checklist.	Page 9
	Sample Agreement (Reference ONLY.)	Pages 10-11

Bidder's	Initiala	
Bladers	initials:	

Commodity Title: DOUBLE DRUM ROLLER.

PLEASE MARK YOUR ENVELOPE <u>"SEALED BID #201801-393"</u> RETURN ONE (1) ORIGINAL & THREE (3) HARD COPIES.

Bid Submission

Location / Mail Address: Taney County Purchasing Department (Second Floor)

P. O. Box 1630 (PO Box MUST be used for normal mail.)

132 David St. (Physical Address MUST be used for package delivery.)

Forsyth, MO 65653

Bid Opening

Location / Address: Taney County Commission Hearing Room (Old Courthouse)

132 David Street Forsyth, Mo. 65653

The undersigned certifies their authority to bind this company in an agreement to supply the products, or services, in accordance with all terms, conditions, and pricing specified herein or to offer a "No Bid." Type or print information below. Bidder is REQUIRED to complete, sign and return this form with their submittal to our solicitation as well as initial all pages. *An authorized signature and email address is mandatory, lack thereof *will* result in a determination of "Non-Responsive" and disqualify from participation.

Company Name		Authorized Person	(Print)
Address		*Signature	
City / County / State / Zip		Title	
Telephone #	Fax #	Date	Tax ID #
*E-mail (MUST be legible.)		Entity Type (Corpora Partnership)	tion, LLC, Sole Proprietor,

INTRODUCTION & BASIC PROCESSING INFORMATION:

The Purchasing Department is responsible for the bid opening at the time and place noted in the request. If a Vendor wants a copy of the bid tabulation they must include a direct email address, not website, in order to receive results. Obviously sealed bids cannot be emailed so they must either be delivered by hand, courier, or U.S.P.S. (Please note U.S.P.S. issues listed in item #1.3 on the following page.)

A formal invitation for bid is utilized when the total purchase estimate exceeds \$4,500. The County also uses this method when the life of a term and supply contract is valued more than \$4,500. A complete bid request package will contain well-defined standard technical specifications for the nature of the service or product requested. A formal closing date and time is specified. The Bidder must comply with this requirement in order to be considered for award.

Page 2 of 11 Bidder's Initials:

All formal invitations for bid are handled by the Taney County Purchasing Department. Technical specifications are the responsibility of the specific requesting department point of contact listed in section #2, Scope of Services.

Read ALL solicitation documents closely - immediately upon receipt. Note any/all special dates and submit your response as soon as possible. See Items 1.21-1.24 for the process to submit questions. Pay close attention to the terms *must*, *will*, *shall*, *should* or *may*.

Section #1, as follows includes instructions, conditions, guidelines, requirements and other key factors that must be understood. Using the checkmark system here will assist Vendors in participating correctly and limit the possibility of their response being disqualified due to a technicality. Use a checkmark (\checkmark) to acknowledge each of the following items. We have found this method improves communications, limits the need for questions and thus addendum, and helps to avoid other areas of confusion.

1.	INSTRUCTIONS AND GENERAL CONDITIONS:	(✔)
	Delivery of: Sealed Responses, subject to Instructions and General Conditions and any special	1
1.1	conditions set forth herein, will be received at the Taney County Purchasing Office until the	
1.1	request closing date and time indicated herein for furnishing the County with goods, and or,	
	services as detailed within these following pages.	
1.2	Closing: Sealed Responses must be delivered before "Closing Date / Time" as listed on page	
1.2	one, to the Taney County Purchasing Department as listed on page two.	
	United States Postal Service Note: There is no mail delivery service at our offices. If a Bidder	
	must use U.S.P.S. do not require a return receipt request signature on our end as we do not	
	have staff to wait in line at the Post Office when their counter is open to sign for a bid response	
1.3	package. Use regular mail sending your response to our P.O. Box address only. The Post	
	Office only recognizes our P.O. Box address. Other delivery services require our physical	
	address. Both addresses are listed on page #2. It is the Bidder's responsibility, not the County,	
	nor the Post Office, to ensure responses are delivered in time to the Purchasing Department.	
1.4	Late Packages: The County will not accept any response received after the listed closing	
	date/time. Late arrivals are considered as "NON-RESPONSIVE". They will not be opened.	
	Opening: Responses will be opened publicly at "Opening Date / Time", as listed on page one,	
1.5	and read aloud. All responses will be considered public information as soon as they are opened	
	and become a part of public record to be released to any person or firm who formally requests it.	
	Award / Timeline: Recommendation for award will be made formally to the Taney County	
1.6	Commission as soon as possible after a complete departmental review. Updates may be sent	
	via email should the award process become delayed for any reason. (10 days or more.)	
	Withdrawals: Responses may be withdrawn on written request from the Bidder at the address	
1.7	shown in this request prior to the time of acceptance of the response. Once a response is	
	opened, and accepted, it can only be withdrawn by order of the Taney County Commission.	
	Sealed & Marked: Responses must be submitted in a sealed envelope identified with the bid	
	number and dates of closing & opening. List the bid number on the outside of the box or	
1.8	envelope and note "Response to Request for Bid enclosed" with a return name & address. No	
	fax or electronic transmitted responses will be accepted. Make sure your package indicates	
	"BID", with the BID NUMBER - on the final outside surface of your package.	
1.9	No Bid: If you elect not to submit a response, return the No Bid Response Form in section #5 of	
1.5	this package, and note your reason. (Optional). An email is allowable for a "No Bid" response.	

Page **3** of **11** Bidder's Initials:

	Bidder Expenses: This County is not responsible for any expenses which Bidders may incur in estimating, inspecting, nor preparing information to respond to this request.	
	Presentations / Inspections: The County reserves the right to conduct personal interviews or	
	require presentations, inspections, of <i>or</i> from any <i>or</i> all proposers prior to selection. The County	
1.11		
	will not be liable for any costs incurred by the Bidder in connection with such interviews,	
	presentations, or inspections. (i.e. travel accommodations, etc.)	
	Bid Term: All Responses submitted shall be binding, and remain firm for ninety (90) calendar	
	days following the opening, unless otherwise indicated. Pricing / Costs submitted within this	
1.12	response must be honored within that set timeframe. Bidders should not respond unless certain	
	on this point. Submitted pricing to this request, once opened, cannot be changed for any	
	reason. Any such changes, by law, will disqualify that full response.	
	Bid Rejection: The Taney County Commission reserves the right to reject any or all responses	
1.13	when such rejection is in the best interest of the County.	
1.14	Multiple Awards: Responses may be awarded to one company or multiple companies; when	
-	such award is deemed in the best interest of the County.	
	Payment Terms: Taney County standard payment terms are <i>Net 30</i> after receipt of an invoice.	
1.15	We can not, and will not, agree to any other payment terms. Once products, or services, are	
1.13	received and accepted Taney County will process payment in full. Invoices need to be issued,	
	and mailed, correctly, to the requesting department - not Purchasing.	
	Requests for credit applications are not necessary and will – in most cases – not be processed.	
1.16	Requests for deposits are not necessary and will not be accepted.	
1.17	Any award agreement shall take effect upon the approval by the Taney County Commission.	
	Alterations: Any alterations, changes, lining out, or margin notes to any items within these	
1.18	instructions may result in said response being disqualified.	
	Direct Email Address: An email address MUST be provided in order to receive award results.	
1.19	(Not a website.) We do not use U.S.P.S. for results only email. Final award results will be	
1.13	emailed to all responding Vendors. Please do not call for results.	
1 20	Results are always posted at: www.taneycounty.org . Please do not call for results.	
1.20	All questions for this solicitation must be submitted no later than 2:00 P.M. Monday February 5,	
1 21	2018. Questions are to be emailed to the department point of contact listed within this request	
1.21	· · · · · · · · · · · · · · · · · · ·	
	as well as copied (cc) to the Purchasing Director at; rone@co.taney.mo.us	
	All questions received will be combined to be answered in one written addendum and emailed	
1.22	to all parties who had previously been part of the original DBI (Direct Bid Invitation email), or	
	had made email contact during the open questioning timeframe.	
	Any necessary addendum email will be sent as close as possible to the day following the	
1.23	deadline listed in item #1.21 above. The addendum will also be posted on the Taney County	
1.23	website attached at the end of the posted Bid. An indication at the end of the posted bid, in red,	
	will alert visitors to our website Purchasing Page as to the presence of any addendum.	
	Aside from routine processing questions if it becomes necessary to revise any part of this	
1 24	solicitation, written addendum will be issued to address that need. Any addendum is valid only if	
1.24	in writing and issued by the Taney County Purchasing Department.	
L	in whiting and issued by the Taney County Furniasing Department.	

Bidder's Initials: _____

1.25	The County's decision to utilize the secondary and tertiary sources shall be final and conclusive. In addition, the resulting contract from this request will be considered "Non-Exclusive". The County reserves the right to obtain service from other suppliers. Always acting in the best interest of the Taney County Missouri.	
1.26	with a written agreement draft, working with our Legal Services Department, and oversee completion of that process to the mutual satisfaction of all parties in harmony with this signed response. Our standard <i>Sample</i> agreement currently being used by Taney County, in most cases, is attached here as a reference. It is not necessary to fill in the blanks of the "Sample".	
1.27	Response Content: In order to enable direct comparison of competing responses, Bidders must submit responses in strict conformity to the requirements stated herein. Failure to adhere to all requirements may result in Bidder's Response being disqualified as non-responsive. All responses must be submitted using the forms provided herein. Every question should be answered. If not applicable, the section should contain "N/A."	
1.28	Advice of Award: The County's Responses, Bid Tabulations, and Bid Award information may be viewed on our website at www.taneyCounty.org . (Purchasing Department Page.)	
1.29	information from Bidders in order to obtain clarification of their responses.	
1.30	Rejection or Correction of Responses: The County reserves the right to reject any or all responses. Minor irregularities or informalities in any response which are immaterial or inconsequential in nature, neither affected by law nor at substantial variance with bid conditions, may be waived at our discretion whenever it is determined to be in the best interest of Taney County Missouri.	
1.31	Evaluation Process: The County's sole purpose in the evaluation process is to determine from among the responses received which one is best suited to meet the County's needs at the lowest possible cost. Any final analysis does not imply that one Bidder is superior to another, but simply that in our judgment the Contractor selected appears to offer the best overall solution for our current and anticipated needs at the lowest possible cost.	
1.32	offered are acceptable for County use.	
1.33	Sunshine Laws: Per (Section 610.026, RSMo.) concerning public documents, all responses to this request will be considered public information as soon as they are opened and become a part of public record releasable to any person or firm that requests it. Requests for copies, of responses, must be made through the Taney County Clerk's Office (417-546-7202) requiring a Public Service Request Form (PSR). By law charges for time spent as well as a cost per page apply. Payment for copying fees is required prior to the making of copies.	

Page 5 of 11 Bidder's Initials: _____

2. SCOPE OF SERVICES:

The Taney County Purchasing Department will be accepting and reviewing all responses to this Request For Bid in an effort to procure a Double Drum Vibratory Roller. Said item as specified in section #3 as follows.

- 2.1 Bid pricing MUST stand, without increase, for one year from date of award.
- 2.2 TOTAL BID PRICE MUST appear in item #3.74 on page #8 as well as on the cover page of this solicitation document.
- 2.3 Submitted bid pricing MUST include delivery to the Taney County Road and Bridge "Mt. Branson Barn" at 1377 E. Hwy 76 Branson, Missouri 65616.
- 2.4 For questions concerning specifications, or any other technical information, email the below department point of contact:

Randy Haes, Administrator Taney County Road & Bridge 417-546-7268 (off) / 417-546-7924 (cell) or randyh@co.taney.mo.us

3. SPECIFICATIONS:

For Sections 3 & 4 please use the below "KEY" to check (\checkmark) off the appropriate box. The total number of exceptions will be considered and combined with total bid pricing during review for an award recommendation. Make sure to address every item whether they apply or not.

C = Comply with item. (In some cases this will serve as a simple acknowledgement.)

D = Does not and/or cannot comply with item.

E = Exception taken to item. (A full explanation should be provided for any/all exceptions.)

The compactor purchased under these specifications shall be a new, current production model designed and built for compaction of flexible pavements and road base materials. These specifications are minimum requirements intended to govern the size & type of unit purchased. Any exceptions or variations from these basic specifications must be stated. Failure to completely describe the equipment being offered within this bid may result in rejection. The right is reserved to evaluate variations from these specifications and to award the contract for the compactor which best fits the needs for the overall application parameters. Unit shall be a self-propelled, double drum design with water spray system for use in compaction of flexible pavements. Machine must be capable of compacting road base materials, shoulders, and similar applications. OPERATING WEIGHT. C D I Weight shall be evenly distributed between front and rear drum. Minimum operating weight, including lubricants, coolants (when required), fuel, Roll-Over Protective Structure (ROPS) and operator shall be a minimum of 9,300 pounds. FRAME. C D I FRAME. C D I Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. C D I Integrated stiffness monitoring system of material that can be correlated to compaction densities.					
designed and built for compaction of flexible pavements and road base materials. These specifications are minimum requirements intended to govern the size & type of unit purchased. Any exceptions or variations from these basic specifications must be stated. Failure to completely describe the equipment being offered within this bid may result in rejection. The right is reserved to evaluate variations from these specifications and to award the contract for the compactor which best fits the needs for the overall application parameters. Unit shall be a self-propelled, double drum design with water spray system for use in compaction of flexible pavements. Machine must be capable of compacting road base materials, shoulders, and similar applications. OPERATING WEIGHT. Weight shall be evenly distributed between front and rear drum. Minimum operating weight, including lubricants, coolants (when required), fuel, Roll-Over Protective Structure (ROPS) and operator shall be a minimum of 9,300 pounds. CD DI FRAME. CD DI Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. DRUMS. CD DI Integrated stiffness monitoring system of material that can be correlated to compaction densities.	3.1	GENERAL.	С	D	Ε
Any exceptions or variations from these basic specifications must be stated. Failure to completely describe the equipment being offered within this bid may result in rejection. The right is reserved to evaluate variations from these specifications and to award the contract for the compactor which best fits the needs for the overall application parameters. Unit shall be a self-propelled, double drum design with water spray system for use in compaction of flexible pavements. Machine must be capable of compacting road base materials, shoulders, and similar applications. OPERATING WEIGHT. C D I Weight shall be evenly distributed between front and rear drum. Minimum operating weight, including lubricants, coolants (when required), fuel, Roll-Over Protective Structure (ROPS) and operator shall be a minimum of 9,300 pounds. FRAME. Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. DRUMS. C D I Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.2				
Failure to completely describe the equipment being offered within this bid may result in rejection. The right is reserved to evaluate variations from these specifications and to award the contract for the compactor which best fits the needs for the overall application parameters. Unit shall be a self-propelled, double drum design with water spray system for use in compaction of flexible pavements. Machine must be capable of compacting road base materials, shoulders, and similar applications. OPERATING WEIGHT. C D I Weight shall be evenly distributed between front and rear drum. Minimum operating weight, including lubricants, coolants (when required), fuel, Roll-Over Protective Structure (ROPS) and operator shall be a minimum of 9,300 pounds. FRAME. Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. DRUMS. C D I Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.3	These specifications are minimum requirements intended to govern the size & type of unit purchased.			
The right is reserved to evaluate variations from these specifications and to award the contract for the compactor which best fits the needs for the overall application parameters. Unit shall be a self-propelled, double drum design with water spray system for use in compaction of flexible pavements. Machine must be capable of compacting road base materials, shoulders, and similar applications. OPERATING WEIGHT. Weight shall be evenly distributed between front and rear drum. Minimum operating weight, including lubricants, coolants (when required), fuel, Roll-Over Protective Structure (ROPS) and operator shall be a minimum of 9,300 pounds. FRAME. C D I Lia Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. DRUMS. C D I Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.4	Any exceptions or variations from these basic specifications must be stated.			
the compactor which best fits the needs for the overall application parameters. Unit shall be a self-propelled, double drum design with water spray system for use in compaction of flexible pavements. Machine must be capable of compacting road base materials, shoulders, and similar applications. DPERATING WEIGHT. Unit shall be a self-propelled, double drum design with water spray system for use in compaction of flexible pavements. Machine must be capable of compacting road base materials, shoulders, and similar applications. DPERATING WEIGHT. Unit shall be a self-propelled, double drum design with water spray system for use in compactions. DPERATING WEIGHT. CDDI Minimum operating weight, including lubricants, coolants (when required), fuel, Roll-Over Protective Structure (ROPS) and operator shall be a minimum of 9,300 pounds. CDDI Had Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Heavy duty battery with 88 ampere-hour rating. DRUMS. CDDI Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.5	Failure to completely describe the equipment being offered within this bid may result in rejection.			
of flexible pavements. Machine must be capable of compacting road base materials, shoulders, and similar applications. DPERATING WEIGHT. CD II OPERATING WEIGHT. CD II Moinimum operating weight, including lubricants, coolants (when required), fuel, Roll-Over Protective Structure (ROPS) and operator shall be a minimum of 9,300 pounds. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. DRUMS. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. CD II Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed.	3.6	·			
OPERATING WEIGHT. Neight shall be evenly distributed between front and rear drum. Minimum operating weight, including lubricants, coolants (when required), fuel, Roll-Over Protective Structure (ROPS) and operator shall be a minimum of 9,300 pounds. C D I Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. DRUMS. C D I Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.7				
Weight shall be evenly distributed between front and rear drum. Minimum operating weight, including lubricants, coolants (when required), fuel, Roll-Over Protective Structure (ROPS) and operator shall be a minimum of 9,300 pounds. C D I Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. DRUMS. DRUMS. Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.8	Machine must be capable of compacting road base materials, shoulders, and similar applications.			
Minimum operating weight, including lubricants, coolants (when required), fuel, Roll-Over Protective Structure (ROPS) and operator shall be a minimum of 9,300 pounds. C D I 1.13 Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. DRUMS. C D I 1.19 Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.9	OPERATING WEIGHT.	С	D	Ε
Protective Structure (ROPS) and operator shall be a minimum of 9,300 pounds. CDD I Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. DRUMS. DRUMS. CDD I Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.10	Weight shall be evenly distributed between front and rear drum.			
Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed. Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. DRUMS. DRUMS. C D I Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.11				Î
Minimum of a 14 gallon fuel tank capacity. Heavy duty dry air filter with restriction indicators. Heavy duty battery with 88 ampere-hour rating. DRUMS. DRUMS. C D I Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.12	FRAME.	С	D	Ε
Heavy duty dry air filter with restriction indicators. Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. DRUMS. DRUMS. C D I Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.13	Liquid or air cooled diesel engine Tier 4 compliant w/minimum of 45 hp @ installed governed speed.			
Minimum 55 ampere alternator. Heavy duty battery with 88 ampere-hour rating. DRUMS. DRUMS. Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.14	Minimum of a 14 gallon fuel tank capacity.			
Heavy duty battery with 88 ampere-hour rating. DRUMS. Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.15	Heavy duty dry air filter with restriction indicators.			
DRUMS. C D I Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.16	Minimum 55 ampere alternator.			
Integrated stiffness monitoring system of material that can be correlated to compaction densities. Minimum 54" rolling width and 35" diameter drums.	3.17	Heavy duty battery with 88 ampere-hour rating.			
Minimum 54" rolling width and 35" diameter drums.	3.18	DRUMS.	С	D	Ε
	3.19				
Minimum 0.7" drum shell thickness ensuring strength and long wear life.	3.20				
	3.21	Minimum 0.7" drum shell thickness ensuring strength and long wear life.			

Page 6 of 11 Bidder's Initials:

3.22	Two flexible scraper bars to be located at both front and rear of both drums, maintaining a cleaning			
	action for both forward and reverse travel directions.			
3.23	Drums to be suspended within roller frame by a set of shock absorbing rubber elements.		_	
3.24	VIBRATION SYSTEM.	С	ט	Е
3.25	Hydrostatic direct eccentric drive to both drums minimizing maintenance costs.			
3.26	Two (2) vibration control modes: automatic / manual.			
3.27	Instant stopping of eccentrics to avoid "wind-milling", therefore, reducing scuffing of asphalt material surface.			
3.28	Dual frequency settings providing a minimum of 2820 VPM and 3480 VPM respectively.			
3.29	Dual centrifugal force values; a minimum of 6975 pounds and 10,800 pounds of force at the respective frequencies.			
3.30	Rear drum vibration shut-off offering versatility on thin lift mixes and joint rolling.			
3.31	Vibratory bearings to be sealed, lifetime lubricated.			
3.32	WATER SPRAY SYSTEM.	С	D	Е
3.33	Pressurized water spray system with adjustable spray interval switch.			
3.34	Minimum of an 80 gallon water tank ensuring long intervals between refilling.			
3.35	Non-metallic tank ensuring corrosion free service life.			
3.36	Spray bars to be constructed of brass and incorporate easily removed and cleaned spray nozzle.			
3.37	Automatic water-spray shutdown in neutral.			
3.38	DRIVE.	С	D	Е
3.39	Fully hydrostatic drive train.			
3.40	No chains, gear boxes or mechanical reduction systems.			
3.41	Hydraulic system to be safe-guarded by a 12 micron oil filter with contamination indicator.			
3.42	Spring-Applied, Hydraulically-Released (SAHR) brakes on both drum drive motors.			
3.43	Two speed ranges: compaction to 3.1 mph and transport to a minimum of 6.2 mph.			
3.44	FRAME.	С	D	Е
3.45	Minimum ±32 degrees of center articulation.			
3.46	Minimum ±10 degrees of center joint oscillation.			
3.47	Access to engine, hydraulic pumps, air filter, cooling system, battery, filters, fuel fill and engine oil			
	fill to be achieved by a tilt hood.			
3.48	Modular (bolt-on) center joint design to facilitate easy servicing.			
3.49	Mechanical 2" crab walk.			
3.50	BRAKES.	С	D	Е
3.51	Dynamic braking provides through hydrostatic system.			
3.52	Spring-Applied, Hydraulically-Released multiple wet disc brakes on both drum motors.			
3.53	OPERATOR'S PLATFORM.	С	D	Е
3.54	Vibration isolated operator's platform with adjustable cushioned seat.			
3.55	Dual Drive levers to incorporate forward/neutral/reverse travel.			
3.56	Instrument and controls to include:			
3.57	- Hour Meter.			
3.58	- Acoustic horn.			
3.59	- Parking brake lamp.			
3.60	- Ignition switch.			
3.61	- Water spray system pump switch and spray interval timer.			
3.62	- Indicators for low alternator charge, high engine oil temperature, low engine oil pressure, high			
	hydraulic oil temperature and parking brake engagement.			
3.63	- Lockable instrument panel cover for vandal protection.			
3.64	- Integrated console display for the material stiffness monitoring system.			
3.65	CLEARANCES.	С	D	Е
3.66	Minimum 27.6" all around curb clearance.			
3.67	Maximum 1.8" lateral overhang clearance both sides.			

Page 7 of 11 Bidder's Initials: _____

3.68	Center mounted articulation joint ensures perfect tracking of front and rear drums.			
3.69	Inside turning to be approximately 9'.			
3.70	Foldable Roll-Over Protective Structure (ROPS) and seat belts that meet or exceed current safety			
	requirements to be standard.			
3.71	MISCELLANEOUS.	С	О	Е
3.72	Distributor shall guarantee local availability of service and parts for the roller.			
3.73	Bid Price shall include a 36 month full machine equipment warranty. (ATTACH DETAILS).			
3.74	TOTAL BID PRICE; \$ (Please also list this information on the co			- \

4.	STANDARD TERMS AND CONDITIONS:	С	D	Е
4.1	Responses shall include all charges for packing, delivery, installation, etc., (unless otherwise specified) to the County Department identified in this Request for Bid.			
4.2	The Taney County Commission has the right to accept or reject any part or parts of all bids, to waive technicalities, and to accept the offer the County Commission considers the most advantageous to the County. Taney County reserves the right to award on an item-by-item basis, or an "all or none" basis, whichever is in the best interest of the County.			
4.3	Bidders must use the bid request forms provided for the purpose of submitting responses, must return the bid and bid sheets comprised in this bid – in same order as received, give the unit price, extended totals, and sign the bid.			
4.4	When products or materials of any particular producer or manufacturer are mentioned in our specifications, such products or materials are intended to be descriptive of type or quality and not restricted to those mentioned.			
4.5	The delivery date shall be stated in definite terms, unless otherwise indicated, as it may be taken into consideration in the award phase.			
4.6	The County Commission reserves the right to cancel all or any part of orders if delivery is not made or work is not started as guaranteed. In case of delay, the Contractor must notify the Purchasing Department.			
4.7	In case of default by the Contractor, the County of Taney will procure the articles or services from other sources and hold the Bidder responsible for any excess cost occasioned thereby.			
4.8	Failure to deliver as guaranteed may disqualify Bidder from future participation.			
4.9	Prices must be as stated in units of quantity specified, and must be firm.			
4.10	The County of Taney, Missouri expressly denies responsibility for, or ownership of any item purchased until same is delivered and is accepted by the County.			
4.11	Do not include Federal Excise Tax or Sales and Use Taxes in your response, as state law exempts the County from these taxes.			
4.12	The County, from time to time, uses federal grant funds for the procurement of goods and services. Accordingly, the provider of goods and/or services shall comply with federal laws, rules and regulations applicable to the funds used by the County for said procurement, and contract clauses required by the federal government in such circumstances as are incorporated herein by reference. These clauses can generally be found in the Federal Transit Administration's Best Practices Procurement Manual Appendix A. Any questions regarding the applicability of federal clauses to a particular bid should be directed to the Purchasing Department prior to bid response opening.			
4.13	In the event of a discrepancy between a unit price and an extended line item price, the unit price shall govern.			
4.14	Should an audit of Contractors invoices – during the term of the Agreement, and any renewals thereof, indicate that Taney County has remitted payment on invoices that constitute an overcharging to the County above the pricing terms agreed to herein, the Contractor shall issue a refund check to the County for any over-charges within 30 days of being notified of the same.			

Page 8 of 11 Bidder's Initials: _____

5. NO BID RESPONSE FORM:

NOTE: Complete and return this section only if you do not want to submit a bid. If you do not wish to respond to this RFB, please fill this form out and return it to the Purchasing Department by mail, email, or fax.

Thank you...

RFB #201801-393 Double Drum Roller.

Business Name:				
Address:				
Telephone:				
Contact Person:				
Date:				
Reason(s) for not Bidding:				

6. FINAL MANDATORY COMPLIANCE CHECKLIST:

These final mandatory requirements are most important. Feel free to use the below table as a checklist to insure your bid is fully compliant before you seal it for submission. Your full bid response needs to comply with all of the below requirements in **RED**. As an option use a checkmark (\checkmark) to assist in your final review. If you have the slightest question regarding these items PLEASE call.

Ron Erickson, Director of Purchasing
Office: 417-546-7281 / FAX: 417-546-3931
rone@co.taney.mo.us

These requirements apply to every possible form of bid we let out.

 (\checkmark) = Acknowledged below item with intent to comply.

ITEM	FINAL COMPLIANCE CHECKLIST	(1/)
#	The County cannot, and WILL not, accept any late bids. Late packages WILL NOT be opened	(*)
6.1	or returned.	l
	No fax or electronic transmitted bids WILL be accepted. Bid responses received via Fax WILL	ı
	REJECT that Vendor from any participation in this bid.	
6.3	Include a current/signed W-9 form with your company information. Having this up front benefits any awarded Vendor by greatly expediting our payment process. Taney County	ı
	Accounts Payable Department must have this form before they can process payment. The	ļ
	name and address on the submitted W9 will be used as the formal name/address on any	i
	subsequent agreement / contract post award. FAILURE TO INCLUDE A W9 MAY REJECT.	
6.4	Remember to sign the bid sheet as this is mandatory. Missing signature WILL REJECT.	
6.5	Un-readable responses, including an unreadable email address, MAY REJECT.	
6.6	Three copies of bid response are required. Please indicate copies versus original. One sided copies	
	ONLY. A double-sided response is not considered an acceptable document for our purposes.	ì
	Failure to include the correct number of copies or two sided copies MAY REJECT.	ı
6.7	Include, in your response, ALL pages of the bid document initialed by hand, not typed, where	. <u></u>
	asked for on each page bottom. Incomplete responses MAY REJECT.	ii

Page **9** of **11** Bidder's Initials:

AGREEMENT (Sample)

for

DOUBLE DRUM ROLLER (1)

THIS AGREEMENT dated the _____ day of _____ 201_ is made between Taney County, Missouri, a political subdivision of the State of Missouri, (-hereinafter "County") and _____ of; ____ (-hereinafter "Contractor").

NOW, THEREFORE IN CONSIDERATION of the mutual considerations and obligations

of the parties contained herein, the parties agree as follows:
1. Contract Documents. The contract documents to this Agreement for the purchase of one (1) Double Drum Roller ("Equipment"), shall include the Contractor's bid response to County's Request For Bid # 201801-393 and any applicable addenda which are attached hereto and incorporated herein by reference. Service or product data, specifications and literature submitted may be permanently maintained in the County Purchasing Office. In the event of a conflict between any of the foregoing Contract Documents, and this Agreement, the terms and conditions of this Agreement shall prevail and control.
<u>2. Contract Price.</u> Equipment provided under this Agreement shall not exceed the price as quoted in attached bid response of: If certain unusual circumstances occur specific to Equipment availability, the County may consider all other options, including the next lowest Bidder.
3. Contract Duration. This agreement shall commence on the date it is fully executed and terminate upon expiration of all applicable warranties, details of which are attached to the signed bid, also as subject to the provisions for termination specified below. This agreement may only be extended by the order of the County subject to the pricing, and delivery clauses as agreed to, and offered by the Contractor's bid response.
4. Billing and Payment. All billing shall be invoiced with specific department information and include bid reference #201801-393 for tracking. Billings and invoices may only include the prices provided for in this Agreement. No additional fees or extra services not included, or taxes, shall be included as additional charges in excess of the charges in this Agreement or the Contract Documents. The County agrees to pay all correct statements within thirty days of receipt; Contractor agrees to honor any cash or prompt payment discounts, if any are available, when County makes payment as provided therein. In the event of a billing dispute, the County reserves the right to withhold payment on the disputed amount. In the event the billing dispute is resolved in favor of the Contractor, the County agrees to pay interest at a rate of 9% per annum on disputed amounts withheld commencing from the last date that payment was due.
<u>5. Binding Effect.</u> This Agreement shall be binding upon the parties hereto and their successors and assigns for so long as this Agreement remains in full force and effect.
<u>6. Entire Agreement.</u> This Agreement constitutes the entire Agreement between the parties and supersedes any prior negotiations, written or verbal, and any other bid or bid specification or contractual Agreement. This Agreement may only be amended by a signed writing executed with the same formality as this Agreement.

Page 10 of 11 Bidder's Initials: _____

- <u>7. Termination.</u> This Agreement may be terminated by the County upon thirty days advance written notice for any of the following reasons or under any of the following circumstances:
 - a. Due to material breach of any term or condition of this Agreement, or
 - b. If in the opinion of the Taney County Commission delivery of products is delayed or products delivered are not in conformity with specifications or variances authorized by County, or
 - c. If appropriations are not made available and budgeted for any calendar year.
- 8. Governing Law; Venue. This Agreement shall be governed by the laws of the State of Missouri. Venue for any dispute arising out of the formation, interpretation, or claims regarding a breach of this Agreement shall be solely and exclusively in the Circuit Court of Taney County Missouri.

IN WITNESS WHEREOF the parties through their duly authorized representatives hereby execute this Agreement.

"Contractor"	Taney County Missouri By: Taney County Commission
Authorized Person (PRINT)	Mike Scofield, Presiding Commissioner
Title	Date
Signature	Attest:
Date Address;	Donna Neeley, County Clerk
	ify that a sufficient unencumbered appropriation balance exis g from this contract. (Note: Certification of this contract is not a measurable county obligation at this time.)
Signature	Date Appropriation Account

Page 11 of 11

Bidder's Initials: