

INVITATION TO BID

Office of the Taney County
Purchasing Department
PO Box 1630
132 David Street
Forsyth, MO 65653

Bid Number 04-25JUN09

Bids will be opened in the Taney County Purchasing office in Forsyth, MO 65653 at 1:00 p.m. on the 25th day of June 2009. Bids must be submitted on the form furnished by the County and in accordance with said specifications.

It is the intent and purpose of the County of Taney that this Invitation to Bid promotes competitive bidding.

INSTRUCTIONS FOR SUBMITTING BID IN RESPONSE TO INVITATION**ROAD SIGNS,
SIGN POST AND FASTENERS****Preparation of Bids:**

1. All prices and notations must be in ink or typewritten. No erasure permitted. Mistakes may be crossed out and corrections typed adjacent and must be initialed and dated in ink by person signing bid. All bids must be signed with the firm name and by a responsible officer or employee. Obligations assumed by such signature must be fulfilled.
2. Bidders are expected to examine this form, attached drawings, specifications, if any, and all instructions. Failure to do so will be at the Bidder's risk.
3. It will be the duty of each officer to see that his/her proposal is delivered by the time designated in this invitation.
4. Proposals may be withdrawn on written requests received from the bidder prior to the time fixed for opening. Requests may be submitted by telefax, e-mail or telegram. Negligence on the part of the bidder in preparing his/her proposal confers no right to withdraw his/her proposal after it has been opened.
5. At the time fixed for opening of proposals, the content will be made public for the information of the bidder and others interested.

Bid Check List:

Bidders are cautioned to please check their bid very carefully, using the following Check List:

1. Any additional information, specifications, drawings, etc. should be attached.
2. Bid should be signed and dated.

Mailing Instructions:

Each bid must be enclosed in a sealed envelope, marked and addressed as follows:

Bid #04-25JUN09

Attention: Linda Gifford
PO Box 1630
Forsyth, MO 65653

Non-Exclusivity:

The Contract is non-exclusive and shall not in any way preclude the County from entering into similar agreements and/or arrangements with other vendors or from acquiring, equal or like goods and/or services from other entities or sources.

Length of Bid:

Bid must be good through July 1, 2010. Other than the specific 911 Road Signs that we are requesting in this bid, we can not guarantee a specific quantity that will be ordered on the following: Sign Posts, Fasteners, Letters or Numbers.

Additional Information:

Any additional information desired may be requested by mail to the address listed, or by telephone to 417-546-7281. Information requests may also be e-mailed to lindag@co.taney.mo.us. This e-mail address is for information requests only and shall not be used for submission of proposals or modifications to proposals. Such submissions will be rejected and deleted without notification to the sending party.

Response Clarification:

We reserve the right to request additional written or oral information from bidders in order to obtain clarification of their responses.

Refusal of Bid:

The Taney County Commission reserves the right to reject any or all bids either in whole or in part.

**Thank you for your consideration of this Invitation to Bid,
THE TANAY COUNTY COMMISSION**

911 Road Signs, Sign Post and Fasteners Specifications

911 Street Name Signs: Signs are to be single-faced, EC-Film 1177 series Green with silver/white letters and a silver/white border, on 0.080 inches thick aluminum blanks 5052 H38 Alloy, unless otherwise specified, punched for square tube posts with end connecting rivets, comparable to "Allied Quick-Punch System". High Prismatic sheeting shall be used having a minimum of 360 candlepower per footcandle per square foot of material (silver/white). The control of spacing values in traffic layout is the distance recognized as aesthetic spacing between two straight letters (e.g. HN).

A spacing control of two times the width of the stroke of the letter series to be used shall be the aesthetic control (100%). When the letter in the prefix and the suffix are smaller in height than the primary legend, the space between the prefix and the primary legend and the suffix and/or block number area shall be one-half the aesthetic word space used in the primary legend.

The layout of the letters shall be as follows: Letters and numbers shall be 6-inches in height mounted on a 9 inch blank, the length of sign shall not be less than 24 inches nor more than 48 inches, increases in length to be in 6 inch intervals. The size and spacing of the letters of road names requiring a sign greater than 48 inches in length shall be reduced to fit on a 48-inch long sign.

The sign length shall be as follows: The maximum number of letters to be accommodated on a given length street/road name sign face shall be determined by the widest letter series possible for legend and the spacing control (100%) for that series used shall be expanded or condensed up to 25% in 5% increments. The legend shall be optically centered vertically and spaced both horizontally and vertically.

All signs manufactures shall provide a copy of their 3-M manufacturer's certification and drawings of signs to be ordered when submitting their bid proposal for consideration.

Steel Sign Post: Steel sign post shall be 14 gauge and ground anchor base shall be 12 gauge, 8 hole base meeting the following specifications: The material for the steel posts shall conform to the standard specification for Hot Rolled Carbon Sheet Steel, structural quality, ASTM Designation A570-79. The posts shall have an in-line finish of hot-dip galvanized zinc coating per AASHTO M-120, followed by a chromate conversion coating and clear organic exterior coating. The posts yield strength shall be a minimum of 60,000 P.S.I. The posts shall be straight, smooth and readily telescope with each consecutive larger size. The square posts shall have die-cut knockouts or complete perforations. The holes shall be 7/16" diameter and 1" centers – 8 hole base. The signpost shall be 2"x2"x24'; 14 gauge/0.105 inch wall thickness, weighing 2.444 lbs./ft. perforated and 2.654 lbs./ft. die-cut and in the lengths specified. The anchors shall be 2 1/4"x2 1/4"x24', 12 gauge/0.105" wall thickness, weighing 2.794 lbs./ft. perforated and 3.004 lbs./ft. die-cut.

Fasteners: The following hardware will be used to assemble signs and shall be bid in units of 100 each.

3/8" zinc coated "Drive Rivet" for fastening signs to posts and securing post of base. Manufactured by Southco Fasteners.

3/8" plastic nylon washers to place between sign and drive rivets.

5/16 #34 "Cherry Mate aluminum barrel rivet" to secure the ends of each pair of 911 signs. Manufactured by Cherry Mate Inc.

5/16" 90° corner bolt with flange nut.

Letters/Numbers: Letters and numbers shall be Pressure Sensitive, High Prismatic Intensity and Series "B": 2" and 4". They shall be bid in units of 25 per pack. Pack should contain the same character letter or number.

Taney County reserves the right to request samples of the signing materials for testing by the Missouri Department of Transportation or by a private testing lab suitable for testing sign materials. Tests would be run to verify compliance with the applicable specifications.

All materials are bid F.O.B. Taney County Road & Bridge, 274 Buchanan Road, Branson, MO 65616. Bids will be awarded for each group listed and not for individual items.

BIDDER'S PROPOSAL

DATE _____

BIDDER _____

ADDRESS _____

Phone: _____ Fax: _____

By - Signature: _____

Please Print Name: _____

(TITLE)

GROUP 1: Signs

Total Bid Price to furnish all signs as specified in this proposal

\$ _____

GROUP 2: Steel Sign Posts

Total Bid Price Each as specified in this proposal

2" x 24' \$ _____

2 1/4" x 24' \$ _____

GROUP 3: Fasteners

Total Bid Price in units of 100 as specified in this proposal

Drive Rivets \$ _____

Nylon Washer \$ _____

Aluminum Barrel Rivet \$ _____

Corner Bolt w/ Flange Nut \$ _____

GROUP 4: Individual Letters

Price per pack for a 2" or 4" letter

2" Letters: \$ _____

4" Letters: \$ _____

GROUP 5: Individual Numbers

Price for pack for a 2" or 4" number

2" Number: \$ _____

4" Number: \$ _____

Estimated Delivery (for specified road signs):

Additional Costs (if any): _____

ROAD SIGNS

# of signs	Route Number	Route Name	# of signs	Route Number	Route Name
5	86-40G	1 st Ave	2	176-70A-3	3 rd St
4	86-40D	4 th Ave	2	86-40B	7 th Ave
1	T-90	Allen Rd	3	86-49	Amanda Rd
1	165-26	Animal Safari Rd	2	JJ-20	Arnold Rd
2		Bald Eagle Rd	1	160-140	Barker Hole Rd
1	176-77A	Barney Dr	3	65-80	Bee Creek Rd
2	65-80G	Bent Oak Rd	1	W-30	Bethel Church Rd
2	76-210B-1	Big Sky Ct	1	AA-60	Bilyeu Creek Rd
2		Black Hawk Rd	2	160-80A-2	Blue Berry Ln
2	EE-30	Brushy Dr	2		Buck Creek Dr
1	65-70B-4	Bull Run Rd	4		Bunker Hill Rd
1	248-60	Carmen Ln	2		Catalina Ct
4		Caterpillar Ln	2	T-90A	Cathy St
1	160-250	Cave Rd	1	76-310	Cedar Hollow Rd
1	T-10	Cedar Park Rd	1	VV-50	Cliff House Rd
2		Comfrey Ct	2	KK-20A	Copperhead Rd
3	160-120	Coy Blvd	2	160-147	Crawley Way
2		Creed Rd	2		Crossbow Ct
2	Y-40	Curtis Dr	4	165-60	Dale Ave
2		Dove Ct	2		Deborah's Way
1	176-70I	Deer Run Dr	1	248-60	Derby Ln
2	165-60A-1	Drowse Ln	2	125-180E	Eagle Ridge Rd
2	176-30A	Elizabeth Rd	1	65-180A	Estate Dr
2	86-85A	Estate Dr	2	65-80A	Fagan Dr
2		Frank Michel Ln	2	65-190	Fruit Farm Rd
1	76-290	Garrison Cutoff Rd	2		Gilbert Ln
1	65-180	Graham Clark Rd	3		Hackberry Ln
2		Heart Ln	2		Hilltop Ave
2	AA-20B	Hilltop Dr	1	165-60A-1	Ho-Hum Trl
2	76-230D	Holstein Dr	1	176-60K	Honey Ln
1	248-60	Hummingbird Ln	2		Huntington Dr
2	165-32	Illinois St	2		Ingenthron Ln
2	76-190	Jenkins Rd	3	VV-	Johnson Rd

# of signs	Route Number	Route Name	# of signs	Route Number	Route Name
				100A	
2		Johnston Ln	2	86-80	Jones Rd
2	76-120A	Joshua Dr	4		Juniper Rd
2		Kayla Ln	2		King St
2		Kings Way	4		Lake Beach Ln
2	86-54	Lakecrest Dr	2	165-60D	Lakeview St
2	86-45	Leisure Ln	2		Lindell Dr
3	65-180A	Lindell Dr	2		Loma Linda Ln
1	T-90	Long Beach Rd	1	86-50	Long Creek Rd
2	VV-100	Lookout Rd	2	Y-17	Luther Ln
2		Madison Ln	2		Majestic Cir
2	65-150	Maple St	1		Marie Ct
2	76-185	Matthews Ln	2	W-50	McClurg Rd
1	248-40D	Meadow Ridge N	1	AA-20	Middleton Rd
2	176-77B	Missouri Bend	2	65-190D-1	Nathan Dr
2		Natures Way	2	86-60H	Newton Rd
2		North Point Ct	2		North View Dr
1		Oakwood Dr	2	160-110A	Palasade Dr
4	165-60K	Parkside Dr	3	165-60	Parkview Dr
2	FF-10	Patterson Dr	4		Prairie Dr
5		Rainfall Cir	2	EE-20	Red Bluff Rd
2	65-70B-2	Richmond Hts Blvd	1	86-100	Ridgedale Rd
2	65-70	Rinehart Rd	2	176-60K-1	Robin Ln
2	65-210	Rochester Rd	2	125-130	Rozell Rd
2		Ruby's Rest	2		Scenic Dr
4	165-60C	Scenic Dr	1	76-152A	Secluded Acres Rd
2	65-70B-6	Shiloh St	2		Shiner St
2		Shore Acres Dr	5	176-60	Silver Creek Rd
5	AA-20	Sims Rd	2		Skyline Rd
1	165-60A	Sleepy Hollow Rd	2	176-60K-4	Smith Rd
1	Y-40	Smith Rd	2	76-82	Songbird Dr
2		Stage Coach Rd	2		Star Dust Ct
1	76-10A-2	Star View Dr	2	86-85B	Stone Rd
2		Stonegate Dr	4		Summit Dr
2	76-148	Summit Ridge Rd	2		Sunrise Villa Dr
2	86-60	Tate Rd	1	T-90B	Thomas Trl

--	--	--	--	--	--	--

Letters

Quantity	Letters
25 pk	A - Z
Quantity	Numbers
25 pk	0-9

“NO BID RESPONSE FORM”

NOTE: COMPLETE AND RETURN THIS FORM ONLY IF YOU DO NOT WANT TO
SUNBIT A BID

**If you do not wish to respond to this bid request, please fill this form out and return it
to the Purchasing Department by mail or fax.**

**If you would like to FAX this “NO Bid” Response Form to our office, the FAX number
is (417) 546-7280.**

BID: 04-25JUN09

ROAD SIGNS,
SIGN POST AND FASTENERS

Business Name: _____

Address: _____

Telephone: _____

Contact: _____

Date: _____

Reason(s) for not bidding:

TANEYCOUNTY, MISSOURI
Request for Bid # 04-25JUN09 – Road Signs, Sign Post and Fasteners

ADDENDUM #1 - Issued June 22, 2009

This addendum is issued in accordance with the Request for Bid and is hereby incorporated into and made a part of the Request for Bid Documents. Bidders are reminded that receipt of this addendum should be acknowledged and submitted with Bidder’s *Response Form*.

Specifications for the above noted Request for Bid and the work covered thereby are herein modified as follows, and except as set forth herein, otherwise remain unchanged and in full force and effect:

1. CHANGE - Bid Submission Deadline to:

Day / Date: **MONDAY– July 06, 2009**

Time: **1:00 P.M. C.T.**(Bids received after this time will not be opened)

Location / Mail Address: **Taney County Purchasing Department**

P.O. Box 1630

Forsyth, MO 65653

Bid # 04-25JUN09

2. ADD – Add additional 6” in length to all road signs that do not have a county number after the road name.

3. REPLACE- Replace page 5 of the bid with the attached amended page 5a.

By: _____

Linda Gifford

OFFEROR has examined copy of Addendum #1 to Request for Bid # **04-25JUN09 – Road Signs, Sign Post and Fasteners**, receipt of which is hereby acknowledged:

Company Name: _____

Address: _____

Phone Number: _____

Fax Number: _____

Authorized Representative Signature: _____

Date: _____

Authorized Representative Printed Name: _____